

THREELINE



TITANIO

POOL LAMPS

PAR56S65



6500K



SMD2835

PAR56S**RGB**



RGB



RGB5050



PAR56S**CTRGB**



RGB




RGB5050



ThreelineGroup.com

TITANIO OPTIONS

PAR56S65



6500K

P: 18W

CCT: 6500K

Efficiency: 100 lm/W

Chip type: SMD2835

IP Rating: IP68

Angle: 120°

Accessories: Surface and recessed

PAR56SRGB



RGB

P: 18W

CCT: RGB

Chip type: RGB5050 (3 en 1)*

IP Rating: IP68

Angle: 120°

Accessories: Surface and recessed

PAR56SCTRGB



RGB

P: 18W

CCT: RGB

Chip type: RGB5050 (3 en 1)*

IP Rating: IP68

Angle: 120°

Accessories: Surface and recessed

Smart control via:



CTRPARTB

(Not included with the lamp)

AMPLIFIER AMPPAR56RC



Amplifier required for
over 7 lamps or 50 metres..

TRIM RING FOR RECESSED INSTALLATION IN EVERY NICHE

AAPAR56S

Trim ring, necessary
to replace old
recessed PAR56 with
the new model **PAR56S**.



(Order the trim ring separately)



TITANIO ACCESSORIES SURFACE

CONCRETE

ASHPAR56S

Surface accessory
for concrete



(Lamp not included)



FIBRE GLASS

ASFPAR56S

Surface accessory
for fibre glass.



(Lamp not included)



VINYL

ASVPAR56S

Surface accessory
for vinyl.



(Lamp not included)



NICHE CLOSING ACCESSORY (DECORATIVE)

ACNPAR56S

Adjustable accessory to replace the front part of an already installed niche.



POOL LAMP NICHE

NC-PAR56

Niche accessory for pool lamps:

- TITANIO PAR56S
- PLATINO PAR56



AAPAR56S included.



2.2 m cable included.

• TITANIO PAR56S




• PLATINO PAR56




TITANIO VS PLATINO

NEW

PAR56S [RGB]



PAR56 and PAR56-S [RGB]



*Our new pool lamp model PAR56S integrates 150 RGB5050 chips, to obtain a better luminous uniformity and achieving better results than the previous model.