THREELINE ///





PAR56S65







PAR56SRGB





PAR56SCTRGB























TITANIO OPTIONS

PAR56S65





P: 18W

CCT: 6500K

Efficiency: 100 lm/W

Chip type: SMD2835

IP Rating: IP68

Angle: 120°

Accessories: Surface and recessed

PAR56SRGB





P: 18W

CCT: RGB

Chip type: RGB5050 (3 en 1)*

IP Rating: IP68

Angle: 120°

Accessories: Surface and recessed

PAR56SCTRGB









P: 18W

CCT: RGB

Chip type: RGB5050 (3 en 1)*

IP Rating: IP68

Angle: 120°

Accessories: Surface and recessed

Smart control via:

CTRPARCTB



(Order separately)

AMPLIFIER AMPPAR56RC



Amplifier required for over 7 lamps or 50 metres..


TRIM RING FOR RECESSED INSTALLATION IN EVERY NICHE

AAPAR56S

Trim ring, necessary to replace old recessed PAR56 with the new model PAR56S.



(Order the trim ring separately)




TITANIO ACCESSORIES SURFACE

CONCRETE

ASHPAR56S

Surface accessory for concrete







TITANIO ACCESSORIES RECESSED

NICHE CLOSING ACCESSORY (DECORATIVE)





POOL LAMP NICHE





TITANIO vs PLATINO





*Our new pool lamp model PAR56S integrates 150 RGB5050 chips, to obtain a better luminous uniformity and achieving better results than the previous model.